

IDAHO POTATO PULSE



Brought to you by the Idaho Potato Commission
Website: www.idahopotato.com

Idaho® stands for premium quality. It is a recognition that has stood the test of time for nearly 75 years. To ensure that we always take the full measures that result in the highest quality, we are reissuing two important bulletins for reducing bruising and thumbnail cracks. In addition, Mike Thornton has provided a summary of key steps to minimize bruising (see below). I would invite all shippers and growers to review these materials and implement any changes necessary to reduce these issues.

We have set a very high standard in Idaho and making sure we all embrace these best harvesting and handling practices, will guarantee that standard continues in the future.

I wish you all a very successful planting and harvest.

Frank W. Muir
President/CEO

Six tips to help control bruising by Mike Thornton, University of Idaho

Many people think that bruise prevention is something that begins and ends at the harvester. The reality is that there are many things that happen before, during and after harvest that can contribute to how much bruise damage potatoes are likely to sustain by the time they reach the end customer. Spring is actually the best time to start planning your bruise prevention program. This article summarizes six important factors that influence the amount of tuber damage. Additional information is provided in the two attached Extension bulletins from the University of Idaho - *Bulletin 725 "Preventing potato bruise damage"* and *CIS 1129 "Thumbnail cracks of potato tubers."*

- 1) **Soil condition** - Anything that makes soil separation from tubers at harvest more difficult has the potential to increase bruising. So clods formed this spring may come back to cause problems next fall. Clods are hard to deal with at harvest time because just about every device used to remove them (shakers, roller tables, etc.) has the potential to injure tubers. The best way to deal with clods is to prevent their formation by following high residue crops, preparing a loose, deep soil bed, and avoiding tillage operations when soils are excessively wet. Soil moisture conditions at harvest are also important, as very wet or dry conditions make soil separation a challenge.
- 2) **Tuber condition** - Tuber temperature, hydration level (crispness) and maturity interact to influence bruise susceptibility. In general, the lower the pulp temperature, the more susceptible tubers are to both shatter and black spot bruising. Pulp temperatures below 45°F make it very difficult to handle potatoes without causing significant bruise damage. The more hydrated or crisp the potatoes are, the more susceptible they are to shatter bruise. In contrast, dehydrated potatoes are susceptible to black spot bruise. Likewise, as plants mature, the tubers become more susceptible to black spot bruise. Tubers that sit in dry soil under dead or dying vines can become very susceptible to black spot, so it is best to vine kill and harvest before vines reach that stage.
- 3) **Harvester operation** - The more susceptible the tubers are to damage, the more important it is to operate the harvester under optimum conditions. Achieving optimum harvester operation requires reducing drops, cushioning impact areas, and setting chain speeds in relation to ground speed so that harvester chains are filled to capacity. If the volume of material (tubers and soil) passing over each chain can be matched to the capacity of that chain, then damage due to excess tuber movement, rollback, and drops can all be reduced. Measurements and calculations required for proper chain adjustment can be found on the Idaho Center for Potato Research and

Education Website:

<http://www.cals.uidaho.edu/potatoes/Research&Extension/Topic/Harvest/PotatoHarvestManagement-06.pdf>

- 4) Bruise after the harvester - Getting potatoes into the truck with minimum damage is only the beginning of a bruise reduction program. It has been reported that about 30% of all bruise damage found on tubers in storage occurs after the harvester. Bruise reduction during the trucking and piling operations involves minimizing drops, matching conveyor speed to tuber volume, and piling in a progressive, stepwise fashion to minimize tubers rolling down the face of the pile.
- 5) Bruise on the way to market - Surveys show that potatoes can experience extensive damage during the packing, shipping and receiving operations. Fortunately, the level of damage caused during these handling steps can be significantly reduced by making minor modifications such as lowering drops, filling equipment to capacity and cushioning impact points.
- 6) The human factor - Most potato handling operations are performed by equipment, but there is almost always a human factor involved in managing that equipment in a way that minimizes bruising. Taking time to educate employees about bruise prevention should be a standard part of your harvest preparation.